

FIG. 1




Figure 1

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

2/12

101250" 9802/860





Figure 2

APPROVED	O.G. FIG.
BY	CLASS SUBCLASS
DRAFTSMAN	

3/12

T0FE50" 9802/860



- 6L Thin-film Oxygenator, 2 ft²
- DO₂ Probes: Pre & Post Module
- Circulation, 2.0 L/min
- 1/4" ID Ports
- Single 100S Module (85K cm²)

Figure 3

FD ESO" 9802/860





Figure 4

T01E50" 9802/860



Fractions
Figure 5

T07E50" 9802/860




Figure 6

APPROVED	O. G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

7/12

0987085 05101
T01E50" 98024860




Figure 7

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

8/12

09872085 9802/860




Figure 8

9/12

FOI ESO" 98024850




Figure 9

10/12

FOFESQ" 9802/860




Figure 10

FOR 50" 9802/860






Figure 11

12/12

TOTESD" 98022860



Defective Helpers
or
Structural protein
expression cassettes

Figure 12